

Porta John® www.PortaJohn.com

Page 1 - www.ComfortStation.com

Page 2 - Model 4848 HD Comfort Station

Pages 3 & 4 – Removable Roof Toilet

Pages 5 & 6 - www.CraneToilet.com

Pages 7 & 8 – Play-Through Toilet

Pages 9 & 10 - Safety Shelter – Comfort Station

Pages 11 & 12 - www.ADACompliantToilet.com

Pages 13 & 14 – Model 520 HD

Pages 15 & 16 – www.FoldingHandSanitizer.com

Pages 17 & 18 – www.AddABath.com

Pages 19 & 20 – www.NoFlushUrinal.com

Pages 21 & 22 - www.FoldingHandSanitizer.com

Pages 23 & 24 Proprietary Permanent & Temporary Bldg.

Equipment Rental

Pages 25 & 26– Equipment Rental Domains

Electrical Detail

Page 27 & 28 Amperage Chart

Earl Braxton 1-800 521-6310 info@toilets.com

Website: www.PortaJohn.com or www.Toilets.com

Model 4848EHD

Model 4848EHD with Upgraded Features



Upscale Lavatory Buildings

Model 4848E 1" Walls

Interior Stall Dimension: 48" x 48" x 91"

Exterior Dimensions: 50" x 50" x 92"

Patent 11519163

Removable Roof Comfort Station

Patent 11519163



Fig.1. 4444E with Custom door Removable Roof and 1" Walls



Fig. 2. 4444E Front View



Fig. 3. 4444E Rear View



Fig. 4 Roof Not Attached

Dimensions: 44" x 44" x 78.75" + Removable Roof

Removable Roof: 46.25" x 46.25" x 11.5" (Front)

Height with Removable Roof Attached is 90.25

Heavy Duty Custom Door: 36"x 67.5" (with Usage Indicator)

Note: The Heavy Duty Model 4444E is designed to be used on multiple projects.

Patent 11519163

Crane Toilet

Patent Pending

The Only Worldwide Crane Toilet

Contact Earl Braxton, 800-521-6310 Sales@PortaJohn.com . This is the most innovative high-rise solution utilizing an electric incinerating toilet that always:

requires no service and no water.

- Adjustable height and width dimensions for crane compatibility
- Aluminum runners for a long life
- Complete interior amenities included
- Fire safety equipment standard
- Multiple viewing angles for inspection

Earl Braxton Earl@Toilets.com - **1-800-521-6310**



Fig. 1 4848EHD Toilet



Fig. 2 Aluminum Runners



Fig. 3 Fire Extinguisher



Fig. 4 Interior View



Fig. 5 Comfort Station Placement



Fig. 6 Rear View



Fig. 7 Right Side View



Fig. 8 Left Side View



Fig. 9 Front View

Play-Through Golf Course Comfort Station

Patent 11519163

Golf Course Play-Through Comfort Station

Model Cut Sheets and Information Next to Pictures

Play-Through Comfort Station

By: PortaJohn®

Earl@Toilets.com - 1-800-521-6310



Fig.1 - Golf Course Lavatory Building

Water Saving of up to 60%

View the many features of the [Model 4848EHD](#).



Fig.2 Patented Water Saving Toilet



Fig.3 Patented No Flush Urinal

We are now marketing the [Play-Through Comfort Station](#). This product increases the speed in which golfers can play the golf course in a very upscale way as the ladies do not have to return to the clubhouse to use the lavatory.

Fig. 1 one golf course's solution.

Fig. 2 A water saving cistern that replaces the sink and allows the same water to be used twice - first to wash hands and second to flush the toilet.

Fig. 3 Displays the no flush urinal which reduces the men's unit water usage by 60%.

Please feel free to contact Earl Braxton 1-800-521-6310 1-586-739-4611 (Int'l) with your questions. You can E-mail at Earl@toilets.com.



Model 4848EHD Info

Model **4848EHD** 1" Walls Electricity -

Ground Level - Ceramic Fixtures

Fresh Water Hand Wash - Fresh Water Flush

Plumbed to Septic Tank, Sewer or
Holding Tank

Water Source - Garden Hose -
Hard Plumbed

No Steps - No Waste in The Stall -
No Chemicals

Ships Fully Assembled -
With Consumables

Level It - Plumb It - Use It

Dimensions: 50" x 50" x 91"
1.27m x 1.27m x 2.31m

Combination Comfort Station and Safety Shelter

Patent 11519163 Patent 9993118

New Data Center Non-invasive Lavatory and Safety System
In November 2026.


Portable Comfort Station Lavatory and Safety Shelter Maximizes Sanitation Comfort and Meets Workplace Safety Codes and Regulations




Patent 9,993,118 Offers Compliance Assistance With the
Code of Federal Regulations

Side by side individual units with standard dimensions of 50" x 50" x 91" each.
Ships fully assembled and manufactured to your Industry regulatory code specifications.


FIXTURE APPOINTMENTS



ELECTRICAL DIAGRAM



WATER DIAGRAM



Electrical & Water Diagrams

Patents 9993118 11519163

ADACOMFORTSTATION.COM
ADACOMPLIANTBATHROOM.COM

Patent 11519163

New Proprietary Data Center Non-invasive Lavatory and/or Safety System
In November 2026.

Model SB 7777 - 1" Walls

Interior Stall Dimension: 7' x 7' x 86.5"

Exterior Dimensions: 7' 2" x 7' 2" x 87.5"

Ground Level

Patents Issued and Pending



Front Exterior View




Rear Exterior



Urinal Location



Mobility



Drawing



Front View



Drawing 2

Model SJSDC 520 HW

Patents Issued

Model SJSDCS 520HW

Multi-Story Construction Site Comfort Station

Patents Issued



Women's Lavatory



Exterior View



Men's Lavatory

Fig. 1 SJSDCS 520HW

Patent 11519163

NoFlushUrinal.com

Patent 11519163

Proprietary Part of the Men's Comfort Stations
Big Box Store Retail Sales

Patent 11519163

NoFlushUrinalKit.com

- No live water hook up required
- Can be plumbed to a sewer, septic tank or holding tank.
- Can be plumbed to a small holding tank which can be disposed of into any toilet
- List of Chemicals and Data Sheets
 - No Flush Sealant
 - No Flush Cleaner and Degreaser
 - Porta John® Deodorizer
 - MSDS Data Sheets on all Chemicals
- Can be mounted on any wall and plumbed with 1½" Fernco and 1½" PVC Schedule 40 connectors and pipe. Fernco connector is included.



No Flush Kit Components



1. No Flush
Waterless Urinal



2. No Flush Cartridge



3. Cartridge Removal Tool



4. Fernco Connector



5. No Flush Sealant



6. No Flush Urinal
Cleaning Agent



7. Corrugated Box

Patent Issued

Components of the No Flush Urinal Kit

Free Shipping UPS Ground
In the Lower 48 States

1. No Flush Urinal
2. No Flush Urinal Cartridge
3. Cartridge Removal Tool
4. Fernco Connector
5. No Flush Sealant (10,000 Uses)
6. No Flush Urinal Cleaning Agent
7. Shipping and Material Storage Box
8. Shipping

www.AddABath.com

www.AddABathroom.com

Part of every Comfort Station
Retail Sales and Big Box Stores

Patent 11519163



Add A Bath Model A
Optimum Size 40" x 40"



Add A Bath
Model B
Optimum Size
28" x 40"

Standard in Comfort Stations

AddABath.com Model A


Requires a live water and sewer line.

Advantages

Fits In a 40" x 40" area

No Excavation Required

Fits in a Closet



Models A & B

Toilet Cistern Model B

Fits In a 28" x 40" Area



Registered Trademark

Hand Sanitizer Stations

www.HandSanitizer.com www.HandSanitizers.com www.HandSanitizerStation.com
www.FoldingHandsanitizers.com www.HandSanitizerStations.com www.FoldingHandsanitizer.com

Patent 11519163

HandSanitizerStand.com

Lavatory Exterior Rear Wall Mounted Hand Sanitizer Unit With or Without a Supply Storage Compartment that can also be Utilized as a Stand Alone Hand Sanitizer Station



Hand Sanitizer Stand



Rear 3448



Folding Hand Sanitizer Stand*



Portable Hand Sanitizer Stand



Stand-Alone Portable Hand Sanitizer Stand With Storage**

*Folding Hand Sanitizer (FHS) Station has dispenser at different height for adults and children.

Folding Hand Sanitizer can be 5 sided, square or round.

FHS has a detachable roof, a detachable floor and an internal plastic bag that is filled with water to hold the unit in place and provide stability.

Rear of Comfort Station can be used to mount – Hand Sanitizer – With Storage

Mounting on the rear wall will not significantly change the dimensions of the Comfort Station.



**Portable Hand Sanitizer has storage for multiple types of hand sanitizer refills such as pumice - hand lotion- perfume.

The storage bin can be for both the dispensers and refills – storage bin will be illuminated with LED lights – and can have Bluetooth speakers for messages and advertising.

Patent and Trademarks Issued

Contact Earl 800-521-6310 - info@toilets.com

Proprietary Temporary or Permanent Interior View of Unisex Lavatory Building 4848 Multi-Purpose Model 7777

Interior View

4848 Options

Lavatory

- No Plumbing Required
- Permanent or Temporary
- OSHA Compliant
- Secure Buildings
- Water Savings
- Self Contained
- No Interference with any
Existing Electrical
or Plumbing
- Now Water Hook-up
Required



7777 Options

- Health & Safety Bldg.
- ADA Lavatory
- Break Station

Model 48484 – Model 7777

Interior Setting of 4848 Lavatory –
7777 Multi-Purpose Building

Exterior View of the Holding Tank View



Equipment Rental Domains For Our Rental Customers

BARRICADERENTAL.COM	PODRENTALS.COM
DISCOUNTDUMPSTER.COM	PORTABLETOILETRENTAL.COM
FENCERENTALONLINE.COM	PORTAJOHNRENTAL.COM
FENCERENTALSONLINE.COM	PORTAPOTTYRENTALS.COM
HANDSANITIZERRENTAL.COM	ROLLOFFRENTAL.COM
HANDSANITIZERRENTALS.COM	ROLLOFFRENTALS.COM
MODSPACERENTAL.	SANITIZERRENTAL.COM
MODULARSPACERENTALS.COM	SANITIZERRENTALS.COM
PODRENTAL.COM	TOILETRENTAL.COM

The above Domains are representative of the multiple domain groups we own.

Amperage Chart

Full Load Amps (FLA)	Amps
24" Baseboard Heater	4.17
Envo Water Heater	30.00
Safety Light	1.50
Exhaust Fan	1.50
De-Icing Wire (30')	1.25
100' Heated Hose (Each)	4.50
50' Heated Hose (Each)	3.00
5,000 BTU Window Air Conditioner	4.30
Water Pump	0.40
Encapsulated Water/Holding Tank (Each)	3.75
Xelerator Hand Dryer	12.20
Motion Detector	2.00
AC/Heat Window Combo	35.00
TOTAL	103.57